

Kabel FAN

■ 2023



ÇİFTLİK FANLARI

/ FARM FAN

/ TECHNICAL SPECIFICATIONS



TEKNİK ÖZELLİKLER

MODEL	KBL-HF-1380	KBL-HF-1000
Kanat Malzemesi Wing Material	Galvaniz Sac veya Paslanmaz Çelik Galvanized Sheet or Stainless Steel	Galvaniz Sac veya Paslanmaz Çelik Galvanized Sheet or Stainless Steel
Fan Hızı Fan Speed	3 Fazlı, Tek Kademeli 3 Phase, Single Stage	3 Fazlı, Tek Kademeli 3 Phase, Single Stage
Fan Çapı Fan Diameter	1250 mm	900 mm
Motor Devri Engine Speed	1440 rpm	1440 rpm
Hava Debisi Air Flow Rate	44.500 m ³ /h	22.500 m ³ /h
Ses Sound	≤ 65 dB	≤ 65 dB
Güç / Voltaj Power	1100W / 380V 220V	750W / 380V 220V
Ağırlık Weight	56 kg	38 kg
Gövde Trunk	275gr/m ² Galvanizli Sac Galvanized Sheet	275gr/m ² Galvanizli Sac Galvanized Sheet
Boyut Dimension	A 1380 x A 1380 x B 300 mm	A 1000 x A 1000 x B 300 mm
Fan Çapı Fan Diameter	C = 1250 mm	C = 900 mm



ÇİFTLİK FANI PERFORMANS EĞRİSİ

Hava Debisi
Air Flow Rate (m³/h)



15°/30°

270cm

Average Distance

13 - 15 m


2.7m

1m

2.7m

1m

270cm



Kabel FAN ■2023

FABRİKA / FACTORY

Pınarkent Mah. 210 Sok. No.:3
Pamukkale, Denizli / TURKEY
Tel: 0258 268 00 86 Fax: 0258 371 15 67

GAZİANTEP BÖLGE MÜDÜRLÜĞÜ GAZİANTEP REGIONAL OFFICE

3. OSB Kamil Şerbetçi Bul.
No.:25/27 Şehit Kamil, Gaziantep, Turkey
T: +90 342 337 88 48
F: +90 342 337 88 49

info@alindair.com.tr
info@kabelair.com
info@greenpad.com.tr

☎+90 544 466 47 25